



From Data to Learning




The 3 pillars of Artificial Intelligence

Real world




What's the shortest path
from AUB to my home?


Learning



Modeling



Inference




Machine Learning


$$f(x) = 2^x \quad \begin{matrix} x & 0, & 1, & 2, & 3, & 4, & 5 \\ y & 1, & 2, & 4, & 8, & 16, & ? \end{matrix}$$

$$\begin{matrix} x & y \\ \curvearrowright \end{matrix}$$

$$f(x) = 2x$$




The data science hierarchy of needs



What are* Data?

Time Series

Stocks



Time	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Price 1	35	37	35	34	33	30	49	48	46	44	46	49	48	66	50	55
Price 2	4	3	5	6	7	7	7	5	6	9	9	22	21	23	21	22

Trading

coursera Explore ▾

[Browse](#) > [Data Science](#) > [Machine Learning](#)

Machine Learning for Trading Specialization

Start Your Career in Machine Learning for Trading. Learn the machine learning techniques used in quantitative trading.


★★★★★ 3.9 795 ratings

 Jack Farmer [+1 more instructor](#)


Enroll for Free
Starts Aug 9

Financial aid available

14,817 already enrolled




Audio



Time	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Amplitude	35	37	35	34	33	30	49	48	46	44	46	49	48	66	50	55



Audio

Text




Time	1.1	2.1	3.4	4.3	5	6	7	8	9	10	11	12	13	14	15	16
Amplitude	35	37	35	34	33	30	49	48	46	44	46	49	48	66	50	55

Audio



Time	1.1	2.1	3.4	4.3	5	6	7	8	9	10	11	12	13	14	15	16
Amplitude	35	37	35	34	33	30	49	48	46	44	46	49	48	66	50	55

Images



Google announces Waymo in 2010

Images







Image dimension: $h \times w \times 3$

Image recognition



- Google Brain uses deep learning to recognize cats in images (2012)
- Facebook recognizes faces with 97% accuracy (2014)

Generative Adversarial Networks (2014)




Progressive Growing of GANs for Improved Quality, Stability, and Variation

https://www.youtube.com/watch?v=G06dEcZ-QTg&t=36s&ab_channel=TeroKarrasFI

Image recognition


Chest radiology




2019

**Google AI outperforms
radiologists at lung cancer
detection**

Diabetic retinopathy



Drug screening for COVID-19





Video




This is not Morgan Freeman - A look behind the Deepfake Singularity - <https://youtube.com/watch?v=F4G6GNFzoO8>

Video

dimension: $T \times h \times w \times 3$




...




Fluid dynamics

1.25 billion grid cells, 13k time steps
32 minutes on 1x AMD Instinct MI200 64GB



Machine learning in materials research



Language

**Deep learning surpasses traditional approaches
in speech recognition in 2010**



2016

2014

2011

IBM-Watson Defeats Humans in "Jeopardy!"



2011

Text

One-hot word representation

Dictionary	The	World	Is	A	Crazy	Place
a	0	0	0	1	0	0
the	1	0	0	0	0	0
world	0	1	0	0	0	0
crazy	0	0	0	0	1	0
place	0	0	0	0	0	1
is	0	0	1	0	0	0
⋮	⋮	⋮	⋮	⋮	⋮	⋮


Text

Word Embedding Representation

<i>man</i>	→	0.6	-0.2	0.8	0.9	-0.1	-0.9	-0.7
<i>woman</i>	→	0.7	0.3	0.9	-0.7	0.1	-0.5	-0.4
<i>king</i>	→	0.5	-0.4	0.7	0.8	0.9	-0.7	-0.6
<i>queen</i>	→	0.8	-0.1	0.8	-0.9	0.8	-0.5	-0.9

Words

Embedding



Semantic Space

Text Generation



give me some project ideas on machine learning for music



Machine Learning Project Ideas for Music

Music Generation and Composition

- **Style Transfer:** Train a model to transfer the style of one musical piece to another. For instance, create a Bach piece in the style of a Beatles song.
- **Generative Adversarial Networks (GANs):** Generate new, original music pieces using GANs. You can train the model on specific genres or composers to create music in those styles.
- **Melody Generation:** Develop a model to generate catchy and melodic sequences, which can be used for jingles, background music, or as a starting point for composing full pieces.
- **Chord Progression:** Create a model to predict chord progressions based on given musical contexts, aiding in songwriting and composition.


Games

IBM creates a checker playing program



1959

AlphaGo beats world's best Go player




2016

IBM Deep Blue beats Kasparov



1997


Solving puzzles




5	3			7			
6			1	9	5		
	9	8				6	
8				6			3
4			8		3		1
7				2			6
	6					2	8
			4	1	9		5
				8			7
							9



5	3	4	6	7	8	9	1	2
6	7	2	1	9	5	3	4	8
1	9	8	3	4	2	5	6	7
8	5	9	7	6	1	4	2	3
4	2	6	8	5	3	7	9	1
7	1	3	9	2	4	8	5	6
9	6	1	5	3	7	2	8	4
2	8	7	4	1	9	6	3	5
3	4	5	2	8	6	1	7	9






10^{120} possibilities




Graph Representation

Real world



Graph Representation

Graph with Vertices and Edges




Adjacency Matrix

	A	B	C	D	E	F
A	0	1	1	1	0	0
B	1	0	0	0	1	1
C	1	0	0	0	0	1
D	1	0	0	0	0	1
E	0	1	0	0	0	0
F	0	1	1	1	0	0

Graph Representation

Weighted Graph




Adjacency Matrix

	A	B	C	D	E	F
A	0	6	2	1	0	0
B	6	0	0	0	3	12
C	2	0	0	0	0	11
D	1	0	0	0	0	4
E	0	3	0	0	0	0
F	0	12	11	4	0	0

Graph Representation


Weighted Directed Graph




Adjacency Matrix

	A	B	C	D	E	F
A	0	6	2	1	0	0
B	0	0	0	0	3	12
C	0	0	0	0	0	0
D	0	0	0	0	0	4
E	0	0	0	0	0	0
F	0	0	11	0	0	0


Robotics and games: Reinforcement Learning




Robotics and Manufacturing



Robotics




Classification



Fraud detection: credit card transaction $\rightarrow$ fraud or no fraud




Toxic comments: online comment $\rightarrow$ toxic or not toxic



Higgs boson: measurements of event $\rightarrow$ decay event or background

Regression

$$x \longrightarrow \boxed{f} \longrightarrow y \in \mathbb{R} \text{ response}$$



Poverty mapping: satellite image $\rightarrow$ asset wealth index



Housing: information about house $\rightarrow$ price



Arrival times: destination, weather, time $\rightarrow$ time of arrival

Structured Prediction

$$x \longrightarrow \boxed{f} \longrightarrow y \text{ is a complex object}$$



Machine translation: English sentence $\rightarrow$ Japanese sentence



Dialogue: conversational history $\rightarrow$ next utterance




Image captioning: image $\rightarrow$ sentence describing image



Image segmentation: image $\rightarrow$ segmentation

Data Analysis

Correlation coefficient (2 variables)



$$r_{XY} = \frac{\sum (x_i - \bar{x})(y_i - \bar{y})}{\sqrt{\sum (x_i - \bar{x})^2 \sum (y_i - \bar{y})^2}} = \frac{\text{Cov}(X, Y)}{\sigma_X \sigma_Y}$$


Correlation Matrix (multiple variables)

	Hours spent studying	Exam score	IQ score	Hours spent sleeping	School rating
Hours spent studying	1.00	0.82	0.48	-0.22	0.36
Exam score	0.82	1.00	0.33	-0.04	0.23
IQ score	0.08	0.33	1.00	0.06	0.02
Hours spent sleeping	-0.22	-0.04	0.06	1.00	0.12
School rating	0.36	0.23	0.02	0.12	1.00


$$r_{ij} = \frac{\text{Cov}(X_i, X_j)}{\sigma_{X_i} \sigma_{X_j}}$$

$$\mathbf{R} = \begin{pmatrix} r_{11} & r_{12} & \cdots & r_{1n} \\ r_{21} & r_{22} & \cdots & r_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ r_{n1} & r_{n2} & \cdots & r_{nn} \end{pmatrix}$$

Histogram





Probability Density Function



Looking for data

Box and Whisker Plot



Where to look for data?

kaggle.com

Search

Datasets

Explore, analyze, and share quality data. [Learn more](#) about data types, creating, and collaborating.

+ New Dataset

Search datasets

Filters

All datasets

Computer Science

Education

Classification

Computer Vision

NLP

Data Visualization

Pre-Trained Model

Trending Datasets

See All



Bangalore Smart Building

Preetham Gouda · Updated a day ago

Usability 10.0 · 75 kB

1 File (CSV)

20



US Airline Industry Dataset (1993-2024)

Muhammad Ehsan · Updated 7 days ago

Usability 10.0 · 14 MB

1 File (CSV)

20



Detailed India EV Market Data 2001 - 2024

Sai Ream · Updated 9 days ago

Usability 7.1 · 209 kB

5 Files (other)

14



IMDb Summer Movies Data

Umer Haddii · Updated 4 days ago

Usability 10.0 · 41 kB

2 Files (CSV)

12

LLM Fine-Tuning

See All

Where to look for data?

huggingface.co



Hugging Face

Search models, datasets, users...

Models

Datasets

Spaces

Posts

Docs

Solutions

Pricing

Log In

Sign Up

Main Tasks Libraries 1 Languages Licenses Other

Modalities

3D Audio Geospatial Image Tabular Text Time-series Video

Size (rows)

<1K >1T

Format

json csv parquet imagefolder soundfolder webdataset text arrow

Datasets 143,641

Filter by name

Full-text search

Sort: Trending

fka/awesome-chatgpt-prompts

Viewer • Updated Mar 7, 2023 • 153 • 6.12k • 5.29k

princeton-nlp/SWE-bench_Verified

Viewer • Updated 5 days ago • 500 • 1.95k • 83

nisten/all-human-diseases

Viewer • Updated about 2 hours ago • 2.2k • 29 • 53

THUDM/LongWriter-6k

Viewer • Updated 5 days ago • 6k • 40 • 46

G-reen/TheatreLM-v2.1-Characters

Viewer • Updated 4 days ago • 5.01k • 7 • 38

lmms-lab/LLaVA-OneVision-Data

Viewer • Updated 2 days ago • 3.46M • 2.16k • 77

airtrain-ai/fineweb-edu-fortified

Viewer • Updated 11 days ago • 322M • 673 • 30

BAAI/Infinity-Instruct

Viewer • Updated 5 days ago • 20.4M • 2.56k • 358

UCSC-VLAA/MedTrinity-25M

Viewer • Updated 11 days ago • 24.9M • 175 • 53

multimodalart/1920-raider-waite-tarot-public-domain

Viewer • Updated 5 days ago • 78 • 24 • 16

Where to look for data?

Ask GPT

I'm working on a machine learning project. Where do I look for data?



When you're starting a machine learning project, finding the right data is crucial. Here are some good places to look for data:

1. Public Data Repositories:

- **Kaggle:** Offers a wide range of datasets across different domains, along with competitions that can help you refine your skills.
- **UCI Machine Learning Repository:** A classic resource with numerous datasets often used in academic research.
- **Google Dataset Search:** A search engine for datasets that pulls from various sources on the web.
- **Data.gov:** For datasets related to U.S. government, health, and other sectors.
- **AWS Public Datasets:** Datasets hosted on Amazon Web Services, spanning multiple fields.

2. Specific Domain Databases:

- **ImageNet:** For image data, often used for training deep learning models.
- **OpenStreetMap:** If you're working on geographic data or maps.
- **National Centers for Environmental Information (NCEI):** If you're looking for climate and environmental data.
- **Spotify API:** For music-related data.

3. APIs:

- **Twitter API:** Great for text and sentiment analysis projects.
- **Reddit API:** Another source for text data, particularly discussions and community interactions.
- **OpenWeatherMap API:** For weather-related data.

4. Web Scraping:

- If you have a specific niche in mind, web scraping could be your go-to. Tools like BeautifulSoup or Scrapy in Python can help you collect data from websites (just be sure to check the site's terms of service).

5. Academic Journals and Research Papers:

- Sometimes datasets are shared as part of academic research. Sites like **arXiv** or **IEEE Xplore** might provide links to datasets used in published research.

How do you come up with project ideas?

[google.com](https://www.google.com)

gemini.google.com